

特殊藥品之儲存條件與期限		2020.08 更新
須配製之針劑品項儲存條件		
品項名稱	配製後室溫儲存期限	配製後冷藏儲存期限
Amphotericin B (Fungizone)	24 hours	7 days
Amphotericin B liposome (Ambisome)		24 hours
Amoxicillin+ Clavulanic acid (AmoClav)	Immediately	
Ampicillin (Ampolin)	1 hour	
Ampicillin+ Sulbactam (Subacillin)	1 hour (IM)	
Anidulafungin (Eraxis)	24 hours	
Antihemophilic factor recombinant (Advate)	3 hours	Do not refrigerate
Antivenin, Acutus	2 hours	
Antivenin, Neurotropic	2 hours	
Antivenin, Hemorrhagic	2 hours	
Augmentin (Amoclav)	Immediately	
Basiliximab (Simulect)	4 hours	24 hours
BCG	2 hours	
Botulinum toxin typeA (Botox)		72 hours
Cefazolin (Cefa)	48 hours	96 hours
Cefepime (Yupime)	24 hours	7 days
Cefmetazon (Cetazone)	24 hours	
Cefoperazone (Brosym)	6 hours	48 hours
Cefotaxime (Cetax)		24 hours
Cefotaxime (Claforan)		24 hours
Cefpirome (Cepiro)		24 hours
Ceftazidime (Cetazine)		4 days (廠商)
Ceftaroline (Zinforo)	Immediately	
Ceftriaxone (Ceftriaxone)	24 hours	48 hours
Cefuroxime (Cefuroxime)	24 hours	48 hours
Cetrorelix (Cetrotide)	Immediately	
Clarithromycin (Klaricid)	24 hours	
Colimycin (Colimycin)	7 days	14 days
Daptomycin (Cubicin)	12 hours	48 hours
Deferoxamin (Desferal)	3 hours	

Degarelix (Firmagon)	2 hours	
Ertapenem (Invanz)	6 hours	24 hours
Flomoxef (Flumarin)	6 hours	24 hours
Fosfomycin (Folsmycin)	24 hours	48 hours
Ganciclovir (Cymevene)	12 hours	Do not refrigerate
Glucagon (GlucaGen)	Immediately	
Glutathione (Agifutol)	Immediately	8 hours
Indocyanine green (Diagnogreen)	Immediately	
Hydrocortisone (Solu-cortef)	Immediately	
Lansoprazole (Takepron)	Immediately	
Leuporelin (Eligard)	Immediately	
Leuporelin (Leuplin depot)	Immediately	
Lutropin alfa + Follitropin alfa (Pergoveris)	Immediately	
Meropenem (Mepem)	6 hours (NS)	24 hours (NS)
Methylprednisolone (Solu-medrol)	48 hours	
MMR (MMR II)		4 hours
Olanzapine (Zyprexa)	1 hour	
Oxacillin (Ocillina)	3 days (IM)	7 days (IM)
Palivizumab (Synagis)	6 hours	
Pantoprazole (Pantoloc)	12 hours	
Parecoxib (Dynastat)	24 hours	Do not refrigerate
Penicillin G (Penicillin G)	24 hours	3 days
Perfluorobutane microbubbles (Sonazoid)	2 hours	
Piperacillin/Tazobactam (Tapimycin)	24 hours	48 hours
Propacetamol (Acetamol)	30 min	
Rabies virus inactivated (Verorab)	Immediately	
Rasburicase (Fasturtec)	Immediately	24 hours
Somatostatin (Somatosan)	Immediately	
Somatropin (Genotropin 5.3mg)		28 days
Somatropin (Genotropin 12mg)		28 days
Teicoplanin (Targocid)	Immediately	24 hours
Tenoxicam (Tencam)	Immediately	
Thyrotropin alfa (Thyrogen)		24 hours

Tigecycline (Tygacil)	6 hours	48 hours
t-PA (Actilyse)	8hours	24 hours
Triptorelin (Decapeptyl CR)	Immediately	
Valproate (Depakine)	24 hours	24 hours
Vancomycin (Vanco)		4 days
Varilrix	Immediately	

須配製之細胞毒性針劑品項儲存條件與期限		
品項名稱	配製後室溫儲存期限	配製後冷藏儲存期限
Bortezomib (Velcade)	3hours(針筒) 8 hours (Vial)	
Carmustine (BCNU)		24 hours
Cyclophosphamide (Endoxan)		24 hours
Cytarabine (Cytosar)	6 hours	12 hours
Dacarbazine (Dacarbazine)	8 hours	24hours
Gemcitabine (Gemzar)	24 hours	
Idarubicin (Zavedos)	24 hours	48 hours Suggest not over 24 hrs
Ifosfamide (Holoxan)		24 hours
L-asparaginase (Leunase)	Immediately	
Pemetrexed (Alimta)	24 hours (從配製起)	24 hours(從配製起)
Panitumumab (Vectibix)		24 hours
Trastuzumab (Herceptin)		28 days(產品內附稀釋用水) 24 hours(滅菌用水)

抗生素口服粉劑配製後安定性		
品項名稱	配製後室溫儲存期限	配製後冷藏儲存期限
Amoxil oral suspension (Amolin)		7 days
Augmentin syrup (Curam)		7 days
Keflex susp. (Ulexin)		7 days
Klaricid paediatric suspension	14 days	
Nystatin suspension (Mycostatin)	7 days	
Zithromax suspension	5 days	

其他特殊藥品開封後儲存條件與期限		
品項名稱	開封後室溫儲存期限	開封後冷藏儲存期限
Albumin	4 hours	
Bromhexine solution (Bisolvon)	6 months (廠商)	
Bevacizumab (Avastin)	Immediately	
Bupivacaine (Marcaine)	Immediately	
Chlorhexidine (Easy Antiseptic Liquid 2%)	1 month (廠商) 1 week (棉棒、棉球直接沾取使用)	
Docetaxel (Taxotere)	Immediately	
Doxorubicin liposomal (Lipo-Dox)	Immediately	
Eribulin (Halaven)	4 hours	24 hours
Follitropin alfa (Gonal-f)	28 days	
Heparin (Agglutex)		15天(但只能抽取10次)
Heparin (Heparin LEO)	28 days	
Human Immunoglobulin (Privigen)	Immediately	
Insulin aspart (NovoRapid)	28 days	28 days
Insulin aspart + Insulin aspart protamine (NovoMix)	28 days	
Insulin detemir (Levemir)	42 days	
Insulin glargine (Lantus)	28 days	
Insulin glargine (Toujeo)	28 days	
Insulin glargine + Lixisenatide (Soliqua)	28 days (<25°C)	
Insulin lispro 25%+ Insulin lispro protamine (Humalog Mix25)	28 days	
Insulin lispro 50%+ Insulin lispro protamine (Humalog Mix50)	28 days	
Insulin, NPH (Insulatard)	42 days	
Insulin, regular (Actrapid HM)	42 days	
Levetiracetam solution (Keppra)	60 days	
Levofloxacin inj. (Cravit)	3 hours	
Lidocaine 2% 20 ml (Xylocain)	3 days	
Lidocaine 2% + Ephedrine 0.004% 20 ml (Lidocaine + E)	24h (廠商)	

Liraglutide (Victoza)	30 days	
Nivolumab (Opdivo)	4h	24h
Oxaliplatin (Oxalip)	Immediately	
Somatropin (Norditropin)	21 days	28 days