

特殊藥品之儲存條件與期限		2026.06 更新
須配製之針劑品項儲存條件		
品項名稱	配製後室溫儲存期限	配製後冷藏儲存期限
Albutrepenonacog alfa (Idelvion)	4 hours	
Amphotericin B (Fungizone)	24 hours	7 days
Amphotericin B liposome (Ambisome)		24 hours
Amoxicillin+ Clavulanic acid (AmoClav)	Immediately	
Ampicillin (Ampolin)	1 hour	
Ampicillin+ Sulbactam (Amsulber)	1 hour (IM)	
Antithymocyte globulin (ATG, Thymoglobuline)	Immediately	
Antivenin, Acutus	2 hours	
Antivenin, Neurotropic	2 hours	
Antivenin, Hemorrhagic	2 hours	
Aripiprazole (Abilify ER)	30 min	
Basiliximab (Simulect)	4 hours	24 hours
BCG	2 hours	
Botulinum toxin typeA (Botox)		72 hours
Cefazolin (Cefa)	48 hours	96 hours
Cefepime (Supecef)	24 hours	7 days
Cefiderocol (Fetroja)	1 hours	
Cefoperazone (Brosym)	6 hours	48 hours
Cefotaxime (Cetax)		24 hours
Cefotaxime (Claforan)		24 hours
Ceftazidime (Cetazine)		4 days (廠商)
Ceftazidime+ Avibactam (Zavicefta)	Immediately	
Ceftaroline (Zinforo)	Immediately	
Ceftriaxone (CEFT-S)	6 hours	
Cefuroxime (Cefuroxime)	24 hours	48 hours
Cetrotide (Cetrotide)	Immediately	
Clarithromycin (Klaricid)	24 hours	
Clostridium botulinum type A toxin-haemagglutinin complex		24 hours

(Dysport)		
Colimycin (Colimycin)	7 days	14 days
Daptomycin (Cubicin)	12 hours	48 hours
Deferoxamin (Desferal)	3 hours	
Degarelix (Firmagon)	2 hours	
Ertapenem (Ertapenem)	6 hours	24 hours
Flomoxef (Flumarin)	6 hours	24 hours
Fosfomycin (Folsmycin)	24 hours	48 hours
Ganciclovir (Cymevene)	12 hours	Do not refrigerate
Glucagon (GlucaGen)	Immediately	
Glutathione (Agifutol)	Immediately	8 hours
Human fibrinogen (Haemocomplettan P)	8 hours	
Hydrocortisone (Solu-cortef)	Immediately	
Imipenem + Cilastatin (Culin)	4 hours	24 hours
Indocyanine green (Diagnogreen)	Immediately	
Isavuconazonium (Cresemba)	1 hour	
Leuporelin (Eligard)	Immediately	
Leuporelin (Leuplin depot)	Immediately	
Lutropin alfa + Follitropin alfa (Pergoveris)	Immediately	
Menotrophin (Menopur)	Immediately	
Meropenem (Meropem)	6 hours (NS)	24 hours (NS)
Methylprednisolone (Medason)	24 hours	
Methylprednisolone (Solu medrol)	48 hours	
Micafungin (Myfungin)	24 hours	
MMR (MMR II)		8 hours
Olanzapine (Zyprexa)	1 hour	
Omalizumab (Xolair)	4 hour	8 hour
Oxacillin (Ocillina)	3 days (IM)	7 days (IM)
Pantoprazole (Pantoloc)	12 hours	
Parecoxib (Dynastat)	24 hours	Do not refrigerate
Penicillin G (Penicillin G)	24 hours	3 days
Perfluorobutane microbubbles (Sonazoid)	2 hours	
Piperacillin/Tazobactam (Pipe	24 hours	48 hours

Tazo)		
Propacetamol (Acetamol)	30 min	
Rabies virus inactivated (Verorab)	Immediately	
Rasburicase (Fasturtec)	Immediately	24 hours
Remdesivir (Veklury)	4 hr	24 hours
Remifentanil (Remifentanil)	Immediately	
Remimazolam (Byfavo)	24 hours	
Somatostatin (Somatosan)	Immediately	
Somatropin (Genotropin)		28 days
Teicoplanin (Targocid)	Immediately	24 hours
Tenoxicam (Tencam)	Immediately	
Thyrotropin alfa (Thyrogen)		24 hours
Tigecycline (Tygacil)	6 hours	
t-PA (Actilyse)	8hours	24 hours
Triptorelin (Decapeptyl CR)	Immediately	
Triamcinolone (Shincort)	7 days (廠商)	
Valproate (Depakine)	24 hours	24 hours
Vancomycin (Vanco)		4 days
Varicella Zoster Virus glycoprotein E (Shingrix)		6 hours
Varilrix (Varivax)	Immediately	
Vedolizumab (Entyvio)	Immediately	8 hours

須配製之細胞毒性針劑品項儲存條件與期限		
品項名稱	配製後室溫儲存期限	配製後冷藏儲存期限
Bendamustine (Innomustine)	Immediately	
Bortezomib (Velcade)	8 hours	
Carfilzomib (Kyprolis)	4 hours	24 hours
Cyclophosphamide (Endoxan)		24 hours
Cytarabine (Cytosar)	6 hours	12 hours
Dacarbazine (Dacarbazine)	8 hours	24hours
Enfortumab vedotin (Padcev)		24 hours
Gemcitabine (Gemmis)	24 hours	
Idarubicin (Zavedos)	24 hours	48 hours Suggest not over 24 hrs
Ifosfamide (Holoxan)		24 hours
L-asparaginase (Leunase)	Immediately	
Mitomycin (Mitomycin-C)	7 day	14 day
Paclitaxel albumin (Abraxane)		24 hours
Pemetrexed (Alimta)	24 hours (從配製起)	24 hours(從配製起)
Pemetrexed (Apeta)		24 hours
Topotecn (Hycamtin)	Immediately	24 hours
Trastuzumab (Herceptin)		28 days(產品內附稀釋用水) 24 hours(滅菌用水)
Trastuzumab deruxtecan (Enhertu)		24 hours
Trastuzumab emtansine (Kadcyla)		24 hours

抗生素口服粉劑配製後安定性		
品項名稱	配製後室溫儲存期限	配製後冷藏儲存期限
Amoxil oral suspension (Amolin)		7 days
Augmentin syrup (Curam)		7 days
Keflex susp. (Ulexin)		7 days
Nystatin suspension (Mycostatin)	7 days	
Zithromax suspension	5 days	

其他特殊藥品開封後儲存條件與期限		
品項名稱	開封後室溫儲存期限	開封後冷藏儲存期限
Albumin	4 hours	
Alirocumab (Praluent)	30 days	
Bromhexine solution (Bisolvon)	6 months (廠商)	
Bevacizumab (Avastin)	Immediately	
Bupivacaine (Marcaine)	Immediately	
Chlorhexidine (Easy Antiseptic Liquid 2%)	1 month (廠商) 1 week (棉棒、棉球直接沾取使用)	
Durvalumab (Imfinzi)	4 hours	24 hours
Follitropin alfa (Gonal-f)	28 days	
Heparin (Agglutex)		15天(但只能抽取10次)
Human Immunoglobulin (Privigen)	Immediately	
Idarucizumab (Praxbind)	6 hours	
Insulin aspart (NovoRapid)	28 days	28 days
Insulin aspart + Insulin aspart protamine (NovoMix)	28 days	
Insulin degludec (Tresiba)	56 days	
Insulin degludec + insulin aspart (Ryzodeg)	28 days	28 days
Insulin glargine (Toujeo)	42 days	
Insulin glargine + Lixisenatide (Soliqua)	28 days (<25°C)	
Insulin lispro 25%+ Insulin lispro protamine (Humalog Mix25)	28 days	
Insulin lispro 50%+ Insulin lispro protamine (Humalog Mix50)	28 days	
Insulin, NPH (Insulatard)	42 days	
Insulin, regular (Actrapid HM)	42 days	
Levetiracetam solution (Keppra)	60 days	
Levofloxacin inj. (Leflodal)	3 hours	
Lidocaine 2% 20 ml (Lidocaine)	3 days(廠商台裕)	7 days(廠商)
Lidocaine 2% + Ephedrine 0.004% 20 ml (Lidocaine + E)	24h (廠商)	
Liraglutide (Saxenda)	30 days	

Palivizumab (Synagis)	Immediately	
Semaglutide (Ozempic)	42 days	42 days
Somatropin (Norditropin)	21 days	28 days
Sugammadex (Bridion)		24h (5-8°C)
Teriparatide (Alvosteo)		28 days
Tirzepatide (Mounjaro)	30 days	